

HALACHIC AND HASHKAFIC ISSUES IN CONTEMPORARY SOCIETY

152 - BRIT MILA PART 1 - USE OF ANESTHETICS OU ISRAEL CENTER - WINTER 2020

- Brit Mila - male circumcision - is one of the most central mitzvot and perhaps that which most identifies us as Jews. It was attacked through history by many enemies of the Jewish people and remains under threat in some parts of Europe¹.
- One of the issues often raised in the debate on brit mila is whether some kind of anesthetic² could and should be administered before the procedure. We will address below some of the halachic, hashkafic and medical³ issues⁴.
- Other contemporary issues arising on brit mila include:
 - the procedure of metzitzta (withdrawing a small amount of blood from the wound).
 - brit mila on Shabbat for a baby who was conceived by artificial insemination or IVF.
 - the use of shields and clamps during the procedure.
 - when brit mila should be performed on a jaundiced baby.
- We will iy'H address some of those issues in Part 2.

A] ANESTHETICS - THE ISSUES

- There are three different types of brit mila. The halachic issues may differ in each case:
 - brit mila on a new-born baby
 - brit mila on an older Jewish child or adult who has not previously had one
 - brit mila on an older child or adult converting to Judaism
- There are four different kinds of anesthetic available during a brit mila:
 - general anesthetic
 - local anesthetic by injection⁵ into the nerves in the area⁶
 - anesthetic cream⁷ applied beforehand to the area
 - oral painkiller - either some kind of baby Tylenol, or sugar-water, or a drop of wine.
- We now have the ability to alleviate some or all of the pain of the brit mila by applying different forms of anaesthetic. So what could be the halachic or hashkafic reasons for not doing so. The issues include:
 - (i) Danger: Administering the anesthetic itself brings certain medical risks. How do these weigh in the halachic analysis? What levels of pain justify which types of health risk?
 - (ii) Pain: To what extent is the brit mila intended meant to be (at least somewhat) painful? Does the pain form part of the mitzva? If so, what level of pain is 'required'? To what degree are we meant to avoid causing pain to others?
 - (iii) Halachic intention: Must the person undergoing the brit mila have intention at that moment to do the mitzva? How would that apply if the person was asleep under general anesthetic?
 - (iv) Mitzva: Upon whom is the the mitzva of mila incumbent - the person being circumcised? the mohel? the father/beit din supervising?

1. There have been recent legal attempts to ban brit mila in Iceland and Denmark. The cloud of a possible legal ban still hangs over the Nordic countries.

2. Apologies to British readers who would have preferred the spelling anaesthetic! As in other areas of Torah, I think that majority should determine the spelling too.

3. Needless to say, all medical issue should be addressed by a qualified medical practitioner. The presentation in this shiur does not purport to give any opinion on such matters.

4. Important resources on this are the following articles:
The Use of Anesthesia in Circumcision, R. Dr Edward Reichman and Dr Fred Rosner, Tradition 34:3 p6
Circumcision: The Current Controversy, R. J David Bleich, Tradition 33:4 p45
Modern Brit Mita Issues, R. Chaim Jachter - Three Parts, available at <https://www.koltorah.org/halachah/modern-brit-mila-issues-part-one-by-rabbi-chaim-jachter>,
<https://www.koltorah.org/halachah/modern-issues-in-brit-mila-part-two-by-rabbi-chaim-jachter> and
<https://www.koltorah.org/halachah/modern-brit-mila-issues-part-three-by-rabbi-chaim-jachter>
 A series of 23 shiurim by R. David Brofsky, available at <https://www.etzion.org.il/en/series-list/31144>

5. Which usually requires a qualified medical professional.

6. Either a DPNB (dorsal penile nerve block) or a subcutaneous ring block.

7. Called an EMLA - eutetic mixture of local anesthetics.

(v) Hashkafic: To what extent should we avoid new innovations in the mitzva of mila that, although halachically unobjectionable, were never done before? To what extent does our attitude to change depend on the reason we are being asked to make the change? If we were faced with non-Jewish legislation which required anesthetic, would we be more likely to compromise, since it may be halachically minor, or to resist change in the face of hostility to our religious practice?

(vi) Agendas: Our agenda for promoting brit mila is transparent - to keep the mitzva! But what are the agendas of those who oppose circumcision? Are they based on medical evidence? Arguments as to human rights? Do they arise mainly from concerns at Muslim circumcision practice⁸? Are there more sinister anti-semitic undertones?

B] MEDICAL ISSUES

B1] PROTECTING HEALTH IN HALACHA

The Torah requires us to do what we can to maximize and protect our health.

1. תנו רבנן: מעשה בחסיד אחד שהיה מתפלל בדרך. בא הגמון אחד ונתן לו שלום ולא החזיר לו שלום. המתין לו עד שסיים תפלתו. לאחר שסיים תפלתו אמר לו: ריקא, והלא כתוב בתורתכם (דברים ד:ט) לִקְרַק הַשְׁמֵר לְךָ וְשָׁמֵר נְפִשְׁךָ מָאֵד וכתוב (דברים ד:טו) וְנִשְׁמַרְתֶּם מָאֵד לְנַפְשֵׁיכֶם. כשנתתי לך שלום למה לא החזרת לי שלום! אם הייתי חותך ראשך בסייף מי היה תובע את דמך מידי?
ברכות לב:

The Torah stresses the need to look after ourselves carefully. Chazal read this as also being a mitzva to protect our lives.⁹

- In terms of an individual case, medical opinion will always be relevant when determining whether and when to perform a brit mila.
- However, even if the medical world decided unanimously that brit mila was unhealthy, this would not have the force to cancel out a Torah mitzva. A non-Jewish ban on mila (even on purported medical grounds) would not deter us halachically from keeping the mitzva.

B2] HEALTH RISKS AND BENEFITS OF PERFORMING MILA

- Medical opinion is unanimous that there is minimal health risk involved in a suitably qualified person performing a circumcision on a healthy baby, child or adult in clean and sanitary conditions. Of course, there are risks with every procedure and post-operative complications do arise in a small number of cases, such as infection, excessive bleeding, excessive swelling and possible physical damage. However, no medical bodies have advised against performing circumcision.
- After WWII there was a rise in the popularity of circumcision in the non-Jewish world¹⁰ since much medical opinion believed there to be prophylactic value and health benefits to performing circumcision. These include: general hygiene, decrease in urinary tract infections and kidney disease, lower rates of some cancers in both the man and his partner, lower rates of inflammation.
- Since the 1980's, the trend in the wider world has been against performing circumcision¹¹. The perceived medical benefits are now doubted by some, with a suggestion of increased medical risks of contracting sexually transmitted diseases following circumcision¹².

B3] HEALTH RISKS AND BENEFITS OF ADMINISTERING AN ANESTHETIC

- The benefit of anesthetic is the alleviation of pain, but it also brings potential health risks and side-effects. With injected local anesthetic these could include: the pain of the needle of the anesthetic, possible hematoma at the site of the injection, accidental puncture of a vein or artery.
- With anesthetic creams these could include: higher blood pressure and swelling which could result in excessive bleeding; abnormal skin sensations. Many mohelim are concerned at the use of anesthetic creams on newborns since the medication was not intended for babies that young. Some report that the babies become dizzy or excessively sleepy as a result of the cream. The cream must be administered by the parents around an hour before the brit. Parents tend to use too much, which can cause medical complications such as methemoglobinemia. The cream must also be cleaned off thoroughly before the brit to avoid interference with the mila due to a greasy surface on the skin.
- Medical circumcision using pain relief and clamps takes much longer (sometime 10 times longer!) than traditional mila (which can take seconds). This involves the child in the greater distress of being restrained, clamped and later having these removed.
- Even the use of baby Tylenol can mask a genuine fever after the brit.

8. Which is numerically far greater in Europe and is also performed at an older age - up to puberty.

9. For more on the halachic obligation to preserve health, see the previous two-part series on Vaccination - www.rabbimanning.com.

10. By 1970 around 83% of non-Jewish boys in the US were circumcised.

11. In the US it is now around 75% but varies by region, being much higher in the midwest and much lower on the west coast. It also varies between societal groups. In Europe, rates are much lower - often less than 15%. UK teens: 12%, Spain: 7%, Finland (2-4%). See https://en.wikipedia.org/wiki/Prevalence_of_circumcision

12. There are also suggestions of loss of sexual sensitivity as a result of circumcision. In our highly sexualized world, this alone provides sufficient grounds to many to oppose circumcision.

B4] BROADER AGENDAS

- Opposition to 'ritual' circumcision (as with 'ritual' animal slaughter) has grown over the past decades.
- As awareness and opposition to FGM¹³ has become widespread there are increasing calls for designating male circumcision in the same way - as a coercive religious act on a non-consenting child, a mutilation¹⁴ of the body and a breach of human rights.
- As anti-semitism once again becomes more acceptable across the world - especially in Europe - one of its manifestations is the attack on brit mila.
- We have seen throughout history how anti-semitic regimes, from the Ancient Greeks¹⁵ to the Nazis, banned brit mila.

2. It is a sobering fact that in the public debate [about circumcision] we observed partly anti-semitic and racist undertones.

Angela Merkel - German Chancellor, 2013

3. משרשי מצוה זו - לפי שרצה השם יתברך לקבוע בעם, אשר הבדיל להיות נקרא על שמו, אות קבוע בגופם. להבדיל משאר העמים בצורת גופם כמו שהם מובדלים מהם בצורת נפשיותם, אשר מוצאם ומובאם איננו שוה ועובר על מצוה זו ולא מל עצמו משהגיע לכלל עונשין, שהוא י"ג שנה ויום אחד, [בכל יום שיעבור עליו משיגדל ולא ימול עצמו מבטל מצוות עשה. ואם מת והוא ערל במזיד] חייב כרת. אבל אין לאב חיוב כרת במילת בנו אלא שעובר על עשה. ואין בכל התורה מצות עשה שחייבין בביטולה כרת כי אם זו ושחיטת הפסח

ספר החינוך פרשת לך לך מצוה ב

The Sefer HaChinuch emphasizes that the purpose of the mitzva is to emphasize the difference between us and the other nations. This become apparent and open on the body to reflect the inner difference in the soul. Violation of the positive mitzva of mila brings with it karet, which is almost unique for a positive mitzva (the other case being korban Pesach).

4. רבי אלעזר המודעי אומר: המחלל את הקדשים, והמבזה את המועדות, והמלבין פני חברו ברבים, והמפר בריתו של אברהם אבינו עליו השלום, והמגלה פנים בתורה שלא כהלכה - אף על פי שיש בידו תורה ומעשים טובים אין לו חלק לעולם הבא

משנה מסכת אבות פרק ג משנה יא

Violation of the mitzva of mila also carries the a loss of any place in the World to Come.

5. ואלו הן שאין להן חלק לעולם הבא אלא נכרתים ואובדין ונידונין על גודל רשעם וחטאתם לעולם ולעולמי עולמים: המינים, והאפיקורוסין, והכופרים בתורה, והכופרים בתחיית המתים ובביאת הגואל, המורדים, ומחטיאי הרבים, והפורשין מדרכי צבור, והעושה עירות ביד רמה בפרהסיא כיהויקים, והמוסרים, ומטילי אימה על הצבור שלא לשם שמים, ושופכי דמים, ובעלי לשון הרע, והמושך ערלתו.

רמב"ם הלכות תשובה פרק ג הלכה ז'

Attempts by Jews over the ages to reverse their brit mila represented perhaps the ultimate rebellion against this differentiation between Jew and non-Jew.

C] IS PAIN A REQUIREMENT OF BRIT MILA?

C1] THE MITZVA NOT TO CAUSE PAIN

- There is a general halachic requirement to avoid causing pain.

6. לֹא־תִקֶּם וְלֹא־תִטֹּר אֶת־בְּנֵי עַמֶּךָ וְאֶהְבֵּת לְרַעַךְ כְּמוֹךְ אֲנִי ה'

ויקרא יט"ח

The Torah requires us to love others.

7. ותרחמי לחברך - דמן אנת סני לך לא תעמיד ליה אנה כי

תרגום יונתן בן עוזיאל שם

Targum Yonatan reads this as a negative mitzva - not to do to others what we would not want done to us.

13. Female genital mutilation, formally called female circumcision.

14. See <https://www.independent.co.uk/voices/male-circumcision-fgm-baby-child-abuse-body-rights-medical-hygiene-a9011896.html> and <https://www.theguardian.com/world/2012/aug/28/circumcision-the-cruellest-cut> and <https://advocacy.ou.org/proposal-to-ban-circumcision-brit-mila-on-san-francisco-ballot/>

15. See Maccabim 6:10 - "Thus, two women who were arrested for having circumcised their children were publicly paraded about the city with their babies hanging at their breasts and then thrown down from the top of the city wall."

8. מעשה בנכרי אחד שבא לפני שמאי. א"ל גיירני ע"מ שתלמדני כל התורה כולה כשאני עומד על רגל אחת. דחפו באמת הבנין שבידו. בא לפני הלל - גייריה. אמר לו **זעלך סני לחברך לא תעביד. זו היא כל התורה כולה ואידך פירושה הוא - זיל גמור**

שבת לא.

This becomes the 'golden rule' of Judaism and is central to our entire religious consciousness.

- There is also a halachic debate as to whether people are included in the prohibition of tzar ba'alei chaim - causing pain to animals.

C2] PAIN AT A BRIT REDUCES OUR SIMCHA

9. רב חביבא איקלע לבי מהולא, בריך שהשמחה במעונו. ולית הלכתא כוותיה משום דטרידי, דאית ליה צערא לינוקא.

כתובות ח.

The Gemara brings a view that 'shehasimcha bim'ono' should be said at a brit! It rejects this though, due to the pain of the child, which mars the simcha for the adults.

- It is clear from here that the halacha accepts that the child does feel some pain at the brit, or at least that the adults are upset at what they imagine the pain to be.
- It is difficult assess how pain is felt in others, especially for a newborn who cannot communicate this properly. We can hear the child cry, but the crying often starts when the diaper is removed or the legs held, and in many cases does not increase during the mila. Medically, we can test for pain in the child through measuring increase in heart rate and decrease in oxygen pressure levels.
- It is also known that the cut of very sharp knife often causes little or no immediate pain.

10. סעודת הבן של צרית מילה אין אומרים צה שהשמחה במעונו משום צערא דינוקא, והשמחה מתבלבלת ליראת לערו של תינוק. ומכאן כתבו קל"ת גאוניס שאף צסעודת חתן שמת אציו של חתן ואמה של כלה אינו אומר שהשמחה במעונו דהא איכא צערא. ומכל מקום כתבו הגאוניס שסעודה של פדיון הבן ככלל סעודת מלוה היא ואומרים צה שהשמחה במעונו:

בית הבחירה (מאירי) שם

This raises the question of whether the phrase should be said at other happy occasions, such as a pidyon haben, or not said at a wedding tinged, God forbid, with sadness.

11. כשהאב עצמו מוהל את בנו, הוא מברך: שהחינו. ואם המוהל הוא אחר, י"א שאין שם ברכת שהחינו. ולהרמב"ם, לעולם האב מברך שהחינו על כל מילה ומילה, וכן נהגו בכל מלכות ארץ ישראל וסוריא וסביבותיה ומלכות מצרים. הגה: וצמדינות אלו נוכגין שלא לברך שהחינו, אפילו כשהאב עצמו מל צנו אס לא שמל צנו הצכור שחייב לפדותו מצרך שהחינו צשעת מילה ואינו מצרך צשעת פדיון. אבל כשפטור מהפדיון אינו מצרך שהחינו (ע"פ מהרי"ט)

שולחן ערוך יורה דעה הלכות מילה סימן רסה סעיף ז

The Shulchan Aruch rules that the general minhag of the Sefardim was for the father to say Shehechyanu at the Brit. The Rema rules that the Ashkenazi custom was not to say it, unless there would also be a later Pidyon HaBen.

12. וגם א"ל משום צערא דינוקא הא צמת אציו והוא יורשו מצרך שתיס כו'

ביאור הגר"א על שולחן ערוך יורה דעה הלכות מילה סימן רסה סעיף ז אות לו

Notwithstanding the psak of the Rema, the Vilna Gaon rules that Shehechyanu must always be said a a brit. This is the universal custom in Eretz Yisrael, even amongst the Ashkenazim (due to the influence of the talmidim of the Gra). The Gra argues with all the reasons for not saying Shehechyanu¹⁶, one of which is that the baby is in physical pain (and thus the adults in psychological pain). He argues that people can feel happy and sad at the same time, and brings a proof from the situation where a person hears that a parent passed away but left them a fortune. Both berachot - Baruch Dayan HaEmet and Shehechyanu are to be said!

C3] IS MILA INTENDED TO BE (AT LEAST A LITTLE) PAINFUL?

- Chazal do not mention any requirement of pain relief for the child during mila, even though pain relief herbs were well know in the ancient world.¹⁷
- Rabbi Meir Arik (Poland early 20C) in a landmark teshuva (Imrei Yosher 2:40) on pain relief in brit was asked about the case of a 30 year old convert who wanted to use anesthetic cream before the procedure. He brings a proof from the following midrash.

16. Including that the baby could be a safek nefel, or that the mitzva is not one which recurs at regular intervals.

17. See <https://www.woodlibrarymuseum.org/history-of-anesthesia/> and also Bava Kamma 85a which talks about pain relieving bandaging.

13. בְּעֶצְמָם הַיּוֹם הַזֶּה נִמּוֹל אֲבָרָהִם וַיִּשְׁמָעֵאל בְּנֵוֹ:

בראשית י"ז

14. נִמּוֹל אֲבָרָהִם - א"ר אבא בר כהנא הרגיש ונצטער כדי שיכפול לו הקדוש ברוך הוא שכרו. א"ר לוי 'מל' אברהם אין כתיב כאן אלא 'נימול' - בדק את עצמו ומצא עצמו מהול. א"ר ברכיה בההיא עיתא אקיל רבי אבא בר כהנא לרבי לוי. א"ל שקרנא כזבנא את! אלא הרגיש ונצטער כדי שיכפול הקדוש ברוך הוא שכרו.

בראשית רבה (וילנא) פרשת לך לך פרשה מז:ט

The Midrash debates whether Avraham felt pain at the mila. R. Abba learned that he did, although R' Levi maintained that he did not. R. Abba was uncharacteristically critical of R. Levi's understanding and insisted that Avraham did feel pain and wanted the pain so that his reward for the mitzva would be increased¹⁸!

15. הנה ענין הסם כבר היה ידוע לרבנותינו ז"ל מאז וכו'. ואעפ"כ לא מצינו כלל בשום מקום שעשו ע"י סם ... וכיון דעד עכשיו לא נהגו כן ולא ראינו זאת מעולם נראה דהוי קי"ל לחז"ל דהמילה צריכה להיות ע"י צער דווקא. ובמד"ר פ' לך איתא נימול אברהם הרי תחילת ענין המילה היה דוקא ע"י צער הכריתה בלי פעולות אחרות

שו"ת אמרי יושר חלק ב סימן מ, מובא בשו"ת ציץ אליעזר חלק כ סימן עג

The Imrei Yosher argues that some pain is an integral part of the brit mila.

16. באשר על כן נלענ"ד דאין להתיר מריחת משחה של חומר מרדים ע"ג האבר לפני הברית, פרט למקרים מיוחדים

שו"ת ציץ אליעזר חלק כ סימן עג

The Tzitz Eliezer agrees with this position and rules that anesthetic creams may not be used except in unusual cases.

17. כיון דבעצם מעלת המילה לא מעלה ולא מוריד רק להפיג צער בשעתו, וגם מצינו לחז"ל בכל מקום דמצות מילה צורתה שיהי' צערא דינוקא, ואחז"ל (גיטין נה) קַיִעֲלִיקָה הַרְגָנוּ כָּל-הַיּוֹם [נְחֹשְׁבֵנוּ כְּצֶאֱן טַבְחָה] (תהלים מד:בג) - זו מילה'. ופשיטא דכך צורת המצוה המקורית מסיני.

שו"ת שבט הלוי חלק ה סימן קמז

This is also the position of Rav Vosner, who rules that in most cases (see further below) pain relief is not appropriate, since the format of the mila involves some element of pain.

18. גם דברי הספר המופלג והקדמון ועוללות אפרים המובאים בהגהות הגר"א גוטמאכער ז"ל בשבת ד' ק"ל ... שכותב שיכוין כל אדם על צרותיו בעת בכי הנימול מיסורי המילה. שקול זה עולה בלי מונע מכל קליפה שיכלל גם תפלתו ע"ש. מראים כהוכחה חותכת עד כמה שחשיבות גדולה היא בכי הנימול מיסורי המילה עד שהיא עולה השמימה בלי מונע מכל קליפה וכחה אתה להועיל גם לאחרים העומדים על ידו שתתקבל גם תפלתם להושיעם מצרותיהם. ומקורם בטח מכתבי הקבלה ותורת הרז.

שו"ת ציץ אליעזר חלק כ סימן עג

The Tzitz Eliezer adds that there are kabbalistic sources that the crying of the child is so powerful that it can carry with it the tefilot of others!

19. תניא, רבי שמעון בן יוחאי אומר: שלש מתנות טובות נתן הקדוש ברוך הוא לישראל, וכולן לא נתנן אלא על - ידי יסורין. אלו הן: תורה וארץ ישראל והעולם הבא

ברכות ה.

The greatest gifts from God - Torah, Eretz Yisrael and Olam Haba - can only be acquired through suffering. Maybe this subliminal message is communicated as part of the brit mila.

• Those who would argue that they NEVER want their children to experience ANY pain are probably not being fully honest. Parents take many decisions on behalf of their minor children which cause pain (eg orthodontics). In some cases it may simply be that they do not consider brit mila important enough to justify the procedure.

18. Normally, pain in performing for a mitzva is not a desired outcome. Rabbi Bleich observes that choosing a thorny etrog is not a mitzva advantage, but brit seems to be different.

• However, the Nishmat Avraham (5:83-84) quotes R. Yaakov Hillel as ruling that there is NO kabbalistic value attached the the suffering of a child during the brit.¹⁹ He also quotes R. Shlomo Zalman Auerbach and R. Yosef Shalom Eliashiv as having ruled (and told him personally) that, where there is no medical concern at applying a topical anesthetic, there is a halachic obligation to do so!²⁰

20. אמנם, בהרדמה מקומית באותו אבר יש פנים להתיר. שלא מצינו בשום מקום שיש מצוה למול בהגרמת צער לנימול! ואברהם אבינו ע"ה רצה לקבל שכר על צער מילתו, כמו שנאמר לפום צערא אגרא, אבל אין זה מוכרח שיש חיוב לגרום צער לילד שאין בו דעת להרגיש צער קיום המצוה.

ש"ת שרידי אש חלק ב סימן סב

The Seridei Aish rules that there is NO source for an idea that we should be trying to cause pain as part of the mila²¹.

C4] CAN MILA BE PERFORMED ON A 'DEAD' LIMB?

• Another halachic concern quoted²² is whether an anesthetized limb is concerned halachically 'dead', thus invalidating the mila, which must be performed on a live limb. In practice, this is unlikely to be upheld as a real concern, since the limb is only temporarily numbed.

D] GENERAL ANESTHETIC AND KAVANA FOR THE MITZVA

• Putting someone to sleep by general anesthetic raises the question of whether they can fulfil the mitzva of mila in that state. Do they need kavana and, if so, is there sufficient kavana in this situation?

D1] DO MITZVOT REQUIRE KAVANA?

21. י"א שאין מצות צריכות כוונה. וי"א שצריכות כוונה לצאת בעשיית אותה מצוה. וכן הלכה.

שולחן ערוך אורח חיים הלכות קריאת שמע סימן ס סעיף ד

The Shulchan Aruch quotes two opinions as to whether mitzvot require mental kavana to fulfil that mitzva or simply the action of the mitzva. He rules that mitzvot DO require a basic level of kavana to fulfil that mitzva.

22. ג וכן הלכה. ודוקא במלות דאורייתא. אבל מלות דרבנן א"ל כוונ' (רדב"י)

מגן אברהם שם ס'ק ג

The Magen Avraham rules that Torah mitzvot DO require kavana to be yotzei, although Rabbinic mitzvot do not.

D2] KAVANA FOR BRIT MILA - THE MOHEL OR THE NIMOL?

23. ... ולכן נראה דבגדול הנימול ע"י אחר צריך הנימול לכוון לשם מצות מילה. ולא מהני כוונת המוהל - שהרי הוא אינו עושה המצוה - וכוונת הנימול סגי, שהוא המקיים את המצוה, ואעפ"י שאינו עושה אותה ... ואמנם בזכר יצחק כותב, שגדול הנימול - המוהל הוא שלוחו ... ונראה ... שכריתת הערלה היא מצוה שבגופו ולא מהני שליחות

ש"ת שרידי אש חלק ב סימן סב

The Seridei Eish deals with the case of an adult undergoing brit mila under general anesthetic. Although he does not accept that the mila requires the feeling of pain, he nevertheless rules that it does require kavana on the part of the nimol, which is absent when asleep. Even if one tries to argue that the mohel is a shaliach, and shelichut works even when the meshaleach is asleep, mila cannot work in this way since it is a mitzva incumbent on the body, which cannot be performed through a shaliach²³.

19. Rav Hillel compared with this with the pain suffered by women during childbirth. Even though the Zohar quotes an idea that this pain 'atones' for the sin of Chava, no rabbinic authority would rule against pain relief during childbirth. It should be noted though that when pain relief was first introduced in childbirth in the 19th Century many Christian authorities DID oppose it on precisely those grounds, and the rabbinic position was clearly expressed in opposition to this.

20. Rav Moshe Tendler is quoted as ruling that failure to use topical anesthetic could be a breach of the Torah mitzva not to unnecessarily wound.

21. Other poskim reject the proof on Avraham on the basis that the actual mitzva to perform mila is NOT learnt from the story of Avraham, but rather from the explicit command after Sinai in parashat Tazria. On the other hand, we do sometimes learn the details in halacha from before Sinai even if the relevant mitzva came later (eg details of hachnasat orchim from Avraham, even though the active command is later as כמנך לרעך כמנך).

22. See Reichman/Rosner p 17.

23. As with tefillin.

24. ובשאלה על גר גדול שבא להתגייר, ודאי שאסור להרדימו בסם שינה. שהרי ע"י המילה הוא נכנס לקדושת ישראל, ואם הוא ישן בשעת המילה מי מכניסו לקדושת ישראל? ובודאי שאין לומר שהמוהל מכניסו לקדושת ישראל אפילו אם הוא ישן, שרק ע"י קיום ברית קודש הוא נכנס לקדושה

שו"ת שרידי אש חלק ב סימן סב

For a convert the argument is even stronger. He requires kavana at the brit to enter into the Jewish people. The mohel cannot do that for him.

25. ומסקנת הדברים, שגדול הבא לימול וכן גר גדול אין להרדימם בסם שינה. ורק בזריקת סם מקומית כדי להשתיק את הכאב אפשר להקל.

שו"ת שרידי אש חלק ב סימן סב

The Seridei Eish is open to using local anesthetics, certainly for an adult, but will not permit a general anesthetic on an adult for the reasons set out above.

26. מ"מ נראה שאין להפיל תרדמה כללית על התינוק, ואף שאין בו דעת, מ"מ נוהגים בתינוק כמו עם גדול, שמכניסים אותו בבריתו של אברהם אבינו ע"י המילה, שמלין את בשרו. ואם מפילים עליו תרדמה הרי הוא כאבן דומם ואין מקימים ברית עם אבן, וכריתת הערלה לתינוק ישן בעיני הבריות כמעשה חבלה ולא כהכנסה לבריתו של א"א. ומנהג ישראל תורה ואין לזלזל בה.

שו"ת שרידי אש חלק ב סימן סב

For a baby, who in any event has no kavana, the Seridei Eish is reluctant (but not fully opposed) to use of general anesthetic, since this appears more like an 'operation' than an act of bringing the child into the covenant.

- Use of a general anesthetic for an older child who may be scared and not stay still, could be a permitted exception.

D3] WHEN IS THE MITZVA OF BRIT MILA FULFILLED?

- The above analysis has assumed that the mitzva of brit mila is fulfilled when the mila is initially performed. But is this the case?

27. ובשעה שנכנס דוד לבית המרחץ וראה עצמו עומד ערום, אמר: אוי לי שאעמוד ערום בלא מצוה! וכיון שזכר במילה שבבשרו נתיישרה דעתו

מנחות מג:

Chazal indicate in this midrash that the mitzva of brit mila is ongoing. One fulfills it constantly by being in a state of 'mahul'.

- If that is the case, kavana may not be as essential at the initial moment of the cutting and a general anesthetic would be less of a halachic problem.

28. ... על כן נלע"ד דלדינא שפיר דמי למול איש גדול (שלא נימול מאיזה סיבה בילדותו), ע"י סם הרדמה. וכן גר הבא להתגייר מותר למולו ע"י סם הרדמה. [וכן עשינו מעשה בבה"ד פעה"ק ירושלים ת"ו בשנת תשכ"ג]. והיעב"א.

שו"ת יביע אומר חלק ה - יורה דעה סימן כב

Rav Ovadia Yosef rules that a general anesthetic is permitted even for brit mila on an adult and even for a convert.

- Another fact raised by the poskim is that fear of pain may discourage non-circumcised adults from performing the mitzva. In such situations a general anesthetic would allay those fears.

29. אמנם זה במילה הרגילה, אבל ודאי אין למדין מן הכלל דלפעמים יש מילת מבוגר הרבה, או מקרה בלתי רגיל ... וגורם יסורים גדולים - בזה פשיטא דעכ"פ בהרדמה מקומית אין פקפוק. ואם שייך במילה ע"י הרדמה כללית גדר חסרון שליחות בגדול ... עיין שדן בזה הגאון מהרש"ם ח"ו סי' ק"ח ואסיק להקל יעש"ה.

שו"ת שבט הלוי חלק ה סימן קמו

Rav Wosner objects to anesthetics in normal circumstances but is certainly prepared to make exceptions in unusual situations and permit local anesthetics and perhaps even general.

E] HALACHIC CONCERNS WITH ANESTHETICS BASED ON MEDICAL FACTORS

30. אבל בלא זה אין נותנין סמי תרדמה, שאין זה דבר טוב לרפואת האדם. ולכן אין נותנים סמי תרדמה לעשיית מילה דקטן. ולא מצד שיש איזה חששות בדין לקיום המצוה, ואף לא לסודות המצוה, כשלא ידעינן משום תקלה ומשום חשש

שו"ת אגרות משה יורה דעה חלק ז סימן מ

Rav Moshe Feinstein²⁴ is against the use of anesthetics²⁵ on the grounds of medical concerns for the new-born.

- As noted above, most mohelim are very confident that the pain and distress caused by injected anesthetics, and the use of clamps for an extended period of time, FAR outweighs the pain of a very quick circumcision using a razor sharp mila knife.

F] HASHKAFIC CONCERNS WITH INNOVATION

31. הנה ענין הסם כבר היה ידוע לרבנותינו ז"ל מאז וכו'. ואעפ"כ לא מצינו כלל בשום מקום שעשו ע"י סם, ... וכיון דעד עכשיו לא נהגו כן ולא ראינו זאת מעולם נראה דהוי קי"ל לחז"ל דהמילה צריכה להיות ע"י צער דווקא. ובמד"ר פ' לך איתא נימול אברהם ... הרי תחילת ענין המילה היה דוקא ע"י צער הכריתה בלי פעולות אחרות. וח"ו לחדש חדשות שלא נהגו מעולם, ובדבר כזה הוי לא ראינו ראייה כמ"ש הפוסקים בכ"ד

שו"ת אמרי יושר חלק ב סימן מ, מובא בשו"ת ציץ אליעזר חלק כ סימן עג

The Imrei Yosher also uses the argument that innovations are not permitted in areas of minhag Yisrael.

- What are the parameters of this concept? For instance, although very few mohelim would use a clamp²⁶ to perform mila, it is standard now to use a simple metal guard, even though this was not always the case.
- No one would advocate use of a non-sterile flint knife, as in biblical times!
- In Part 2 we will iy'H look more at this issue.

G] SUMMARY

- Many poskim are unhappy with the use of any medical anesthetics during mila on a newborn. It is normal for the child to suck on concentrated sugar water or grape juice²⁷, which relieves the pain. Baby Tylenol may be another solution.
- Some poskim permit, others encourage, and yet others require anesthetic creams. Nevertheless, many mohelim are nervous about use on newborns on medical grounds.
- For older children and adults most poskim permit and encourage or require some kind of local anesthetic, especially in unusual cases.
- Most poskim are not in favor of brit under general anesthetic, especially for adults. Some are lenient in all situations (even for a convert) and many others are lenient in special circumstances.

24. Nishmat Avraham 5:84 also cites Rav Eliyashiv and R. Shlomo Zalman Auerbach as quoting halachic concerns about the medical implications of anesthetics.

25. Although the main thrust of his teshuva concerns the use of a general anesthetics, this would relate to any anesthetic which had potentially concerning side effects.

26. Different types of clamp have become popular for non-Orthodox circumcisions, including the Mogen clamps and the Gomco clamp.

27. Giving wine seems to be going out of fashion!